

Refine Search**Search Results**Exar
WES
2.5.

4

Terms**Documents**

(L29) and (microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US Patents OCR Backfile
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index

Search Type: Prior Art Interference**Search:**

L34

Refine Search**Recall Text****Clear****Interrupt****Search History****DATE:** Thursday, April 15, 2010 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>
Side by Side	(L29) and (microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure)

<u>Hit Count</u>	<u>Set Name</u>	<u>Set Name</u>
4	L34	L34

Prior Art Searches

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=NO; OP=ADJ

<u>Set Name</u>	<u>Query</u>
L34	(L29) and (microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure)

<u>L33</u>	(L30) and (microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure)	2	<u>L33</u>	<u>L33</u>
<u>L32</u>	(L31) and (microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure)	1	<u>L32</u>	<u>L32</u>
<u>L31</u>	(L28) and (chronic renal or chronic kidney or acute renal or acute kidney)	165	<u>L31</u>	<u>L31</u>
<u>L30</u>	(L27) and (chronic renal or chronic kidney or acute renal or acute kidney)	227	<u>L30</u>	<u>L30</u>
<u>L29</u>	(L26) and (chronic renal or chronic kidney or acute renal or acute kidney)	285	<u>L29</u>	<u>L29</u>
<u>L28</u>	L4 and L21	211	<u>L28</u>	<u>L28</u>
<u>L27</u>	L4 and L18	287	<u>L27</u>	<u>L27</u>
<u>L26</u>	L4 and L15	348	<u>L26</u>	<u>L26</u>
<u>L25</u>	L15 and L22	4	<u>L25</u>	<u>L25</u>
<u>L24</u>	L18 and L22	2	<u>L24</u>	<u>L24</u>
<u>L23</u>	L21 and L22	1	<u>L23</u>	<u>L23</u>
<u>L22</u>	(L4) and (microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure)	268	<u>L22</u>	<u>L22</u>
<u>L21</u>	(EPO or erythropoietin or darbep\$ or aranesp or rhEPO or rEPO).ti.	1468	<u>L21</u>	<u>L21</u>
<u>L20</u>	L10 and L18	2	<u>L20</u>	<u>L20</u>
<u>L19</u>	L8 and L18	1	<u>L19</u>	<u>L19</u>
<u>L18</u>	(EPO or erythropoietin or darbep\$ or aranesp or rhEPO or rEPO).ab.	4403	<u>L18</u>	<u>L18</u>
<u>L17</u>	L8 and L15	1	<u>L17</u>	<u>L17</u>
<u>L16</u>	L10 and L15	4	<u>L16</u>	<u>L16</u>
<u>L15</u>	(EPO or erythropoietin or darbep\$ or aranesp or rhEPO or rEPO).clm.	3075	<u>L15</u>	<u>L15</u>
<u>L14</u>	L1 and L12	1	<u>L14</u>	<u>L14</u>
<u>L13</u>	L1 and L10	1	<u>L13</u>	<u>L13</u>

<u>L12</u>	L6 and L11	4	<u>L12</u>	<u>L12</u>
<u>L11</u>	(endothelial) with (dysfunction)	4389	<u>L11</u>	<u>L11</u>
<u>L10</u>	L6 and L9	257	<u>L10</u>	<u>L10</u>
<u>L9</u>	(endothelial cell\$) or (endothelial progenitor cell\$) or (progenitor endothelial cell\$)	71428	<u>L9</u>	<u>L9</u>
<u>L8</u>	L6 and L7	194	<u>L8</u>	<u>L8</u>
<u>L7</u>	(endothelial) with (progenitor) with (cell\$)	4421	<u>L7</u>	<u>L7</u>
<u>L6</u>	L4 and L5	263	<u>L6</u>	<u>L6</u>
<u>L5</u>	(microalbuminuria or proteinuria or glomerula filtration) and (hypertension or high blood pressure) and (endothelial)	1620	<u>L5</u>	<u>L5</u>
<u>L4</u>	L2 and L3	883	<u>L4</u>	<u>L4</u>
<u>L3</u>	(administer\$) with (EPO or erythropoietin or darbep\$ or aranesp or rhEPO or rEPO)	2595	<u>L3</u>	<u>L3</u>
<u>L2</u>	(treat\$ or cur\$ or inhibit\$) with (acute or chronic) with (kidney\$ or renal)	24699	<u>L2</u>	<u>L2</u>
<u>L1</u>	(bahlmann.in.) or (haller.in.)	3233	<u>L1</u>	<u>L1</u>

END OF SEARCH HISTORY